

L Number	Hits	Search Text	DB	Time stamp
1	35	310/216-218.ccls. and (core near lamina\$4) same (rotor near7 stator)	USPAT; US-PPGPUB	2003/08/20 16:15
2	4	310/216-218.ccls. and (core near lamina\$4) same (rotor near7 armature)	USPAT; US-PPGPUB	2003/08/20 16:14
3	7	310/216-218.ccls. and (core near lamina\$4) same (armature near7 stator)	USPAT; US-PPGPUB	2003/08/20 16:13
4	0	310/216-218.ccls. and (core near lamina\$4) same (armature near7 stator)	EPO; JPO; DERWENT; IBM_TDB	2003/08/20 16:13
5	0	310/216-218.ccls. and (core near lamina\$4) same (rotor near7 armature)	EPO; JPO; DERWENT; IBM_TDB	2003/08/20 16:14
6	3	310/216-218.ccls. and (core near lamina\$4) same (rotor near7 stator)	EPO; JPO; DERWENT; IBM_TDB	2003/08/20 16:15
-	5	310/214.ccls. and d@pd<20010927 and generator	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 15:41
-	2	310/215.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer))	EPO; JPO; DERWENT; IBM_TDB	2003/08/19 21:49
-	7	H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer))	USPAT; US-PPGPUB	2003/08/19 21:57
-	1	H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress	USPAT; US-PPGPUB	2002/11/22 13:33
-	1	H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 15:39
-	0	310/214.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress	EPO; JPO; DERWENT; IBM_TDB	2003/08/15 19:28
-	0	310/215.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 15:40
-	0	310/214.ccls. and d@pd<20010927 and generator and stress	EPO; JPO; DERWENT; IBM_TDB	2002/11/20 15:41
-	2	310/214.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer))	EPO; JPO; DERWENT; IBM_TDB	2002/11/21 13:01
-	30	310/214.ccls. and d@pd<20010927 and generator and stress	USPAT; US-PPGPUB	2002/11/22 12:32
-	5	("4594221"   "4843271"   "4876469"   "5030871"   "5252877").PN.	USPAT	2002/11/22 12:33
-	2	("4928382"   "5124607").PN.	USPAT	2002/11/22 12:34
-	1	5459363.URPN.	USPAT	2002/11/22 12:34
-	508	310/214.ccls. and d@pd<20010927	USPAT; US-PPGPUB	2003/08/19 21:43
-	4	("3119033"   "4298812"   "4922147"   "5698924").PN.	USPAT	2002/11/22 12:38
-	12	("1957380"   "2506629"   "3353046"   "3869629"   "4015154"   "4812695"   "4912353"   "5498917"   "5502341"   "5570502"   "5722152"   "5949171").PN.	USPAT	2002/11/22 12:40
-	8	("3009073"   "3437858"   "3780325"   "4413405"   "4425521"   "4427920"   "4443725"   "4701648").PN.	USPAT	2002/11/22 13:06
-	47	H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer))	USPAT; US-PPGPUB	2003/08/19 22:04
-	1	H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress	USPAT; US-PPGPUB	2002/11/22 13:35

9	H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress	USPAT; US-PGPUB	2002/11/22 13:34	
1	H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer)) and stress	EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:34	
50	H02K003/48.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer))	EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:35	
1	4667125.pn.	USPAT;	2002/11/22 17:44	
6	("1555065"   "3243622"   "3393335"   "3594597"   "4333022"   "4437765").PN.	USPAT	2002/11/22 17:43	
1	5027500.pn.	USPAT; US-PGPUB	2002/11/22 17:44	
1	5048177.pn.	USPAT; US-PGPUB	2002/11/22 17:45	
1	5075959.pn.	USPAT; US-PGPUB	2002/11/22 17:47	
12	("1238911"   "1487302"   "2424752"   "2507981"   "2685730"   "3888638"   "4024632"   "4104788"   "4476625"   "4495692"   "4536954"   "4594771").PN.	USPAT	2002/11/22 17:46	
1	5430340.pn.	USPAT; US-PGPUB	2002/11/22 17:49	
24	("2773210"   "2922058"   "2960360"   "3324324"   "3408516"   "3453587"   "3476966"   "3614498"   "4177398"   "4275324"   "4316114"   "4369389"   "4430589"   "4439701"   "4443722"   "4462152"   "4482829"   "4667125"   "4843271"   "4876469"   "5065059"   "5113114"   "5118979"   "5122698").PN.	USPAT	2002/11/22 17:47	
1	6218756.pn.	USPAT; US-PGPUB	2002/11/22 17:50	
5	("3976901"   "4369389"   "4387316"   "4469971"   "4633116").PN.	USPAT	2002/11/22 17:49	
8	("2723358"   "3139550"   "3665576"   "3949255"   "4015156"   "4149101"   "4200818"   "4387316").PN.	USPAT	2002/11/22 17:50	
1	6279420.pn.	USPAT; US-PGPUB	2002/11/22 17:50	
9	("3032318"   "3736811"   "4098127"   "4477226"   "4842485"   "5018943"   "5027873"   "5487640"   "6053678").PN.	USPAT	2002/11/22 17:51	
0	6279420.URPN.	USPAT	2002/11/22 17:52	
508	310/214.cccls.	USPAT; US-PGPUB	2002/11/22 17:52	
483	310/214.cccls. and @pd<20010927	USPAT; US-PGPUB	2002/11/22 17:53	
12	rotor near wedges near(slots or cavity)	USPAT; US-PGPUB	2002/11/29 00:45	
531	rotor and wedges and (slots or cavity)and (stress or pressure or tension)	USPAT; US-PGPUB	2002/11/29 00:47	
472	rotor and wedges and (slots or cavity)and (stress or pressure or tension) and @pd<20010927	USPAT; US-PGPUB	2002/11/29 00:48	
159	rotor and wedges and (slots or cavity)and (stress or pressure or tension) and (hollow or unfilled or empty or void or depressed) and @pd<20010927	USPAT; US-PGPUB	2002/11/29 01:07	
1	rotor and wedges and (slots or cavity)and (stress or pressure or tension) and (hollow or unfilled or empty or void or depressed) and @pd<20010927	EPO; JPO; DERWENT; IBM_TDB	2002/11/29 01:08	
2	310/183.cccls.and rotor and ( stress or pressure)	EPO; JPO; DERWENT; IBM_TDB	2002/11/29 01:09	
7	310/183.cccls.and rotor and ( stress or pressure)	USPAT; US-PGPUB	2002/11/29 01:10	

		0 H02K003/16. ipc. and rotor and stress	USPAT; US-PGPUB	2002/11/29 01:11
		0 H02K003/16. ipc. and rotor	USPAT; US-PGPUB	2002/11/29 01:11
	17	H02K003/16.ipc. and rotor	USPAT; US-PGPUB	2002/11/29 01:11
	1	1227414.pn.	USPAT; US-PGPUB	2003/08/02 14:10
	1	4827597.pn.	USPAT; US-PGPUB	2003/08/02 14:10
	154	310/214.ccls. and d@pd<20010927 and generator	USPAT; US-PGPUB	2003/08/15 18:04
	0	1227414.URPN.	USPAT	2003/08/15 16:24
	8	("3009073"   "3437858"   "3780325"   "4413405"   "4425521"   "4427920"   "4443725"   "4701648").PN.	USPAT	2003/08/15 16:25
	0	20020121830.URPN.	USPAT	2003/08/15 17:15
	5	5122698.URPN.	USPAT	2003/08/15 17:44
	15	("2922056"   "3408516"   "3476966"   "3780325"   "3976901"   "4117362"   "4217515"   "4282450"   "4333027"   "4369389"   "4432135"   "4454439"   "4469971"   "4642503"   "4876469").PN.	USPAT	2003/08/15 17:45
	122	310/214.ccls. and @pd<20010927 and generator	USPAT; US-PGPUB	2003/08/15 18:23
	5	310/214.ccls. and @pd<20010927 and generator	EPO; JPO; DERWENT; IBM_TDB	2003/08/15 18:24
	2	310/215.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer))	EPO; JPO; DERWENT; IBM_TDB	2003/08/15 18:25
	28	310/215.ccls. and d@pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer))	USPAT; US-PGPUB; EPO	2003/08/15 18:26
	54	H02K003/487.ipc. and generator and ((coil adj retainer)or wedge or (slot adj closuer))	EPO; JPO; DERWENT; IBM_TDB	2003/08/15 18:43
	0	11004553.URPN.	USPAT	2003/08/15 18:35
	0	310/214.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress	EPO; JPO; DERWENT; IBM_TDB	2003/08/15 19:29
	17	310/214.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer)) and stress	USPAT; US-PGPUB	2003/08/15 19:29
	870	rotor and wedges and (slots or cavity)	USPAT; US-PGPUB	2003/08/15 20:10
	395	310/\$.ccls. and rotor and generator and wedge	USPAT; US-PGPUB	2003/08/15 20:11
	395	310/\$.ccls. and rotor and generator and (wedge or (angular adj support))	USPAT; US-PGPUB	2003/08/15 20:12
	483	310/214.ccls. and @pd<20010927	USPAT; US-PGPUB	2003/08/19 22:07
	2	310/215.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer))	EPO; JPO; DERWENT; IBM_TDB	2003/08/19 21:50
	23	310/215.ccls. and @pd<20010927 and generator and (wedge or (coil adj retainer)or(slot adj closuer))	USPAT; US-PGPUB	2003/08/19 21:52
	44	310/215.ccls. and @pd<20010927 and generator	USPAT; US-PGPUB	2003/08/19 21:57
	12	("3119033"   "3413499"   "3748506"   "3821568"   "3997803"   "4016442"   "4203044"   "4251745"   "4383191"   "4508985"   "4547688"   "4634910").PN.	USPAT	2003/08/19 21:54
	6	4900956.URPN.	USPAT	2003/08/19 21:55

		4	310/215.ccls. and @pd<20010927 and generator	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 21:57
		8	H02K003/487.ipc. and generator	USPAT; US_PGPUB	2003/08/19 21:58
		85	H02K003/487.ipc. and generator	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 21:58
		74	H02K003/48.ipc. and generator	USPAT; US_PGPUB	2003/08/19 22:07
		141	H02K003/48.ipc. and generator	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:07
		706	310/216.ccls. and @pd<20010927	USPAT; US_PGPUB	2003/08/19 22:07
		133	310/216.ccls. and @pd<20010927 and generator	USPAT; US_PGPUB	2003/08/19 22:08
		5	310/216.ccls. and @pd<20010927 and generator	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:09
		14	310/179.ccls. and @pd<20010927 and generator	USPAT; US_PGPUB	2003/08/19 22:09
		131	310/179.ccls. and @pd<20010927 and generator	USPAT; US_PGPUB	2003/08/19 22:10
		4	H02K001/34.ipc.	USPAT; US_PGPUB	2003/08/19 22:11
		0	H02K001/34.ipc. and rotor	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:11
		3	H02K001/00.ipc. and rotor	USPAT; US_PGPUB	2003/08/19 22:11
		3	H02K001/00.ipc. and rotor	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:11
		551	H02K001/00.ipc.	USPAT; US_PGPUB	2003/08/19 22:11
		449	H02K001/00.ipc. and rotor	USPAT; US_PGPUB	2003/08/19 22:11
		178	H02K001/00.ipc. and rotor and generator	USPAT; US_PGPUB	2003/08/19 22:11
		13	H02K003/34.ipc. and rotor and generator	USPAT; US_PGPUB	2003/08/19 22:12
		57	H02K003/34.ipc. and rotor and generator	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:22
		1	rotr and (wedge or slot or opening)	USPAT; US_PGPUB	2003/08/19 22:22
		19285	rotor and (wedge or slot or opening)	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:23
		984	310/\$.ccls. and rotor and (wedge or slot or opening)	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:23
		91	310/\$.ccls. and rotor and (wedge or slot or opening) and generator	EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB	2003/08/19 22:23
		2109	310/\$.ccls. and rotor and (wedge or slot or opening) and generator	USPAT; US_PGPUB	2003/08/19 22:24
		1585	310/\$.ccls. and rotor and (wedge or slot or opening) and generator and @pd<20010927	USPAT; US_PGPUB	2003/08/19 22:24
		390	310/\$.ccls. and rotor and (wedge or slot or opening) and generator and @pd<20010927 and hollow	USPAT; US_PGPUB	2003/08/20 15:35